

SUPPLEMENT TO

The Gazette



of India

41] NEW DELHI, SATURDAY, OCTOBER 15, 1949

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 17th September, 1949

INDIA							Bombay						
CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE		
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
INDIA							Bombay						
Madras							Bombay						
Agapetam .	3	2	4	Ahmedabad
Acrole	Kaira
Godavari	21	15	Broach
Godavari	12	6	17	1	Panch Mahals
..	18	7	9	1	Surat
..	19	10	49	13	Thana .	2	1	9	1
..	10	7	11	Bombay Suburban
..	13	11	Ahmednagar	22	3
..	2	1	East Khandesh	3	1
..	1	..	3	3	West Khandesh	9	4
..	12	3	Nasik .	14	10	16	2
..	15	..	11	2	Poona .	4	3	12	1	3	1
..	21	18	3	1	Satara .	82	32	21	1	24	10
..	18	11	6	1	Sholapur	12
..	88	40	8	1	Belgaum	1	..
..	113	63	Bijapur	5	1
..	18	6	6	2	Dharwar
..	5	2	3	Kanara
..	24	8	5	1	Ratnagiri
..	5	6	3	Kolaba
..	Kolhapur
..	1	Baroda
..	Navasari
..	2							
..	3	1	Total .	111	50	100	10	28	11
Total	403	212	156	28	3	3	(Estp. mid-year pop. 22,880 thousands)						
..	Total for w/e 10-9-49	133	50	75	15	27	11
..	Total for w/e 3-9-49	97	45	78	10	65	30
..	7-yearly mean for the week	308	140	47	8	104	37
Explanation of the symbols used :- C=Cases ; D=Deaths.													

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 17th September, 1949—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Bengal, West							United Provinces— <i>contd.</i>						
Burdwan	Garhwal	1
Birbhum	Lucknow	6	3
Bankura	6	2	1	Unao
Midnapur	1	Rae Bareilly	11	9
Hooghly	Sitapur	3	1
Howrah	12	5	Hardoi	2	2
24-Parganas	6	2	3	1	Kheri	20	20
Calcutta	44	6	2	1	1	..	Fyzabad	1
Nadia	1	Gonda
Murshidabad	Bahraich	10	3
Malda	17	15	Sultanpur
West Dinajpur	Partabgarh	9	6
Jalpaiguri	Bara Banki	5	4
Darjeeling	Total	796	381	22	5	21	..
Total	85	31	7	3	1	..	(Estd. mid-year pop. 59,132 thousands)						
(Estd. mid-year pop. 22,669 thousands)							Total for w/e 10-9-49	891	457	20	6	6	..
Total for w/e 10-9-49	100	27	7	2	1	..	Total for w/e 3-9-49	554	250	13	2	23	..
Total for w/e 3-9-49	101	47	12	6	2	..	7-yearly mean for the week	1,293	689	11	3	12	..
7-yearly mean for the week	164	86	23	11	Punjab, East						
United Provinces							Hissar
Dehra Dun	Rohtak
Saharanpur	5	3	Gurgaon
Muzaffarnagar	21	12	Karnal
Meerut	62	31	Ambala
Bulandshahr	58	25	Sirsa
Aligarh	34	24	Kangra
Mathura	69	3	Hoshiarpur	2
Agra	70	25	Jullundur
Mainpuri	23	17	Ludhiana
Etah	28	17	Ferozepur
Bareilly	77	46	7	2	Amritsar	1
Bijnor	25	Gurdaspur
Budaun	23	13	Total	1	2
Moradabad	16	13	(Estd. mid year pop. 14,690 thousands)						
Shahjahanpur	123	50	Total for w/e 10-9-49	17	11
Pilibhit	4	2	Total for w/e 3-9-49
Farrukhabad	1	1	7-yearly mean for the week	29	15
Etawah	3	2	Bihar						
Kanpur	33	18	Patna
Fatehpur	14	7	7	3	Gaya	3	3
Allahabad	Shahabad	3	..	2
Jhansi	3	2	Saran	4	1
Jalaun	8	5	Champanan
Hamirpur	3	3	Muzaffarpur
Banda	15	12	13	2	Darbhanga
Banaras	1	Monghyr	10	1
Mirzapur	1	Bhagalpur	40	14
Jampur	Saharsa
Ghazipur	4	2	3	Purnea
Ballia	Santal Parganas	1
Gorakhpur	Hazaribagh	8	2	3	1
Deoria							
Basti	5	1							
Azamgarh	3	1							
Nainital	1	1	1							
Almora	2							

Explanation of the symbols used :—C=Cases; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 17th September, 1949—*contd.*

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Bihar—<i>contd.</i>								Orissa					
anchi	3		Return not received					
anbhum	18	6	10	2		Ajmer-Marwara (Urban)					
alamau	5	1		TOTAL					
nghbbhum
Total	81	26	20	5		(Estd. mid-year pop. 240 thousands)					
(Estd. mid-year pop. 37,690 thousands)								Total for w/e 10-9-49					
tal for w/e 10-9-49	120	57	18	2	1	1	
tal for w/e 3-9-49	132	49	31	7	4	2		Total for w/e 3-9-49					
early mean for the week	1,002	535	25	6	1	..		2
Central Provinces								7-yearly mean for the week					
agpur
ardha		Bhopal					
anda	9	5	2		TOTAL 72 35					
hindwara		(Estd. mid-year pop. 831 thousands)					
ul	34	16		Total for w/e 10-9-49					
andara	16	8	19	2		24	15
bbulpore	3	1	26	5		Total for w/e 3-9-49					
ngor		43	9
ndla	2	1		3-yearly average for the week					
nahangabad	1	..		26	12
mar		Coorg					
alaghat	5	..		TOTAL					
alpur	4	2		(Estd. mid-year pop. 173 thousands)					
aspur		Total for w/e 10-9-49					
..	11	3	1
..		Total for w/e 3-9-49					
..	7	1
..	24	10	1		7-yearly mean for the week					
..	1
..	3	3		Delhi					
..		Delhi city					
Total	104	48	5	1	51	7		1
(Estd. mid-year pop. 17,666 thousands)								Delhi Notified Area					
tal for w/e 10-9-49	153	66	25	7	60	9		1
tal for w/e 3-9-49	147	67	15	6	30	4		TOTAL					
early mean for the week	613	336	26	3	22	3		1	1
Assam								(Estd. mid-year pop. 1,274 thousands)					
..		Total for w/e 10-9-49					
..	1
..		Total for w/e 3-9-49					
..	9	7		1	..	2	1
..		7-yearly average for the week					
..		1
..		Grand total for the provinces 1,665 793 323 53 104 27					
..	4	2		(Estd. mid-year pop. 237,785 thousands)					
..		Corresponding Total for w/e 10-9-49					
..		1,990	961	413	94	101	30
..		Corresponding Total for w/e 3-9-49					
..	11	8		1,586	742	414	69	143	49
..	14	8		7-yearly mean for the week					
..	30	19	33	8		5,348	2,835	456	95	298	131

Explanation of symbols used :— C=Cases ; D=Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 17th September, 1949—*continued*.

CHOLERA							SMALLPOX							PLAGUE						
C.							D.							C.						
D.							C.							D.						
UNIONS & STATES							Mysore State							Travancore State						
Madhya Bharat							Bangalore							TOTAL						
Morena	2	2	Chitaldrug	16	5	11
Mandsaur	43	20	Hassan	2	2	16
Ratlam	5	4	Kolar	22	3
Total	50	26	Mandya	1	2	4
Rajasthan							Mysore	1	7
Jaipur	1	Shimoga	1	1	3
Jodhpur	Tumkur	8	2
TOTAL	1	TOTAL	47	16	42
Saurashtra							Grand total for							Unions & States						
TOTAL	2	3	Grand total for	..	68	34	58	25	161
Assam States							Provinces, Unions	..	1,733	827	390	78	265
TOTAL	& States
Cochin State							TYPHUS							No report of any case of typhus was received during the week.						
TOTAL	2	2	(One case & one death from typhus was reported from Bombay							city during week ending 10-9-49).						
Hyderabad State							SUPPLEMENTARY INFORMATION							Bengal, West						
Aurangabad	1	(for w/e 9-7-49)
Nanded	16	..	Midnapore	1
Bhir	16	10	24 Parganas	3	3
Gulberga	1	2	3	..	TOTAL	4	3
Raleghur	1	(for w/e 16-7-49)
Bidar	1	1	6	3	24 Parganas	7	5
Osmanabad	38	..	TOTAL	7	5
Warrangal	10	4	(for w/e 3-9-49)
Adilabad	4	Mandsaur	9	4
Nizamabad	28	7	TOTAL	9	4
Medak	3	..	(for w/e 10-9-49)
Nalgonda	4	4	Mandsaur	4	2
Mahboobnagar	3	..	8	4	Ratlam	4
Hyderabad	2	1	TOTAL	8	2
TOTAL	15	6	9	6	119	25	ARREAR INFORMATION							Travancore State						
Kashmir State							(for w/e 10-9-49)
Return not Received.							TOTAL

Explanation of symbols used :— C=Cases; D=Deaths.

NEW DELHI 3 (INDIA);

The 10th October 1949.

K. MITRA,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 10th September 1949.

Town	Mid-1949 Popn.-Est. (000)	Deaths from —											Total	D.R.*	I. D.
		B.	B. .	C.	S.	P.	F.	D.D.	R.D.	M.D.					
A.—INDIA															
Madras															
Adoni	35	36	52.8	1	8	1	25	36.7	4		
Ambur	38	18	17.8	2	..	4	..	11	15.1	2		
Aruppukottai	36	34	49.2	..	2	..	8	2	2	..	25	36.2	4		
Bellary	63	27	22.2	5	..	9	..	23	18.9	6		
Cannanore	35	19	28.2	3	1	3	..	15	22.3	1		
Coimbatore	160	133	43.3	3	12	15	1	67	21.8	16		
Cuddalore	62	61	51.2	1	2	4	2	22	18.5	4		
Dindigul	67	50	38.9	2	..	2	..	14	10.9	3		
Eluru †															
Erode	44	51	59.8	1	1	..	16	18.8	3		
Guddiyattam	39	35	46.3	13	4	3	3	..	47	62.2	4		
Guntur †															
Kakinada	88	45	28.3	3	3	2	..	27	17.0	9		
Kancheepuram	82	83	52.3	..	1	..	1	..	5	1	28	17.7	5		
Kozhikode	149	114	39.8	8	4	17	..	78	27.2	11		
Kumbakonam	71	51	37.4	2	4	6	..	32	22.5	5		
Kurnool	54	36	35.0	3	3	1	20	19.4	2		
Madras	998	1139	59.3	6	5	..	46	67	209	1	711	37.0	156		
Mangalore	93	51	28.5	..	1	..	4	..	7	..	31	17.3	3		
Masulipatam †															
Mathurai	287	270	49.0	19	12	44	3	162	29.4	37		
Mayuram	33	21	32.8	1	2	13	20.1	3		
Melapalayam	32	11	6.7	2	1	3	1	12	7.3	2		
Nagapattinam †															
Nellore	65	98	78.4	4	2	7	..	63	50.4	17		
Palamcottah	34	25	38.9	4	1	15	23.3	2		
Palghat	60	48	41.4	1	1	4	..	27	23.3	9		
Rajahmundry	84	53	32.9	4	10	3	4	48	29.8	9		
Rajapalayam	53	36	35.6	4	4	..	19	18.8	2		
Salem	153	107	36.4	1	1	2	13	..	51	17.4	13		
Srivilliputtur	37	33	47.0	2	..	2	1	23	32.7	4		
Tanjore	70	117	86.7	1	1	1	9	..	32	23.7	7		
Tellicherry	41	24	30.2	1	1	5	..	20	25.2	2		
Tenali	46	51	58.5	2	2	1	19	21.8	5		
Tiruchirappalli †															
Tirunelveli	64	62	50.6	1	8	..	34	27.8	8		
Tiruppur	46	30	34.2	3	..	2	1	13	14.8	..		
Tiruvannamalai	38	38	52.0	1	2	1	..	9	12.2	1		
Tuticorin †															
Vaniyambadi	38	16	21.8	1	1	..	4	..	15	20.4	4		
Vellore	83	106	66.1	2	3	15	1	46	28.7	7		
Vijayavada	108	58	28.0	5	4	3	2	36	17.4	11		
Virudunagar	36	44	63.9	2	1	5	..	18	26.1	7		
Vizagapatnam	81	83	53.3	1	1	4	..	29	18.6	5		
Vizianagaram	58	70	63.2	4	3	1	..	36	32.5	11		
TOTAL	3,656	3,379	48.1	22	9	..	142	156	443	22	1,932	27.5	404		

* In cases of towns where there have been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B=Births ; B.R.=Birth rate ; C=Cholera ; S.=Smallpox ; P=Plague ; F=Fevers ; D. D.=Dysentery and Diarrhoea ; R.D.=Respiratory diseases ; D.R.=Death rate ; M.D.=Maternal Deaths ; I.D.=Infant Deaths included in total deaths).

† Figures not available .

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 10th September 1949—*contd.*

Deaths from :—

Town	Mid-1949 Popn.-Est. (000)	B.	B.R.*	C	S	P	F	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
A.—INDIA—<i>contd.</i>													
Bombay													
Ahmedabad	826	695	43.4	329	27	56	1	576	36.3	229
Ahmednagar	64	74	59.7	53	..	4	..	18	14.5	3
Amalner	44	21	24.8	14	2	2	..	23	27.2	7
Bandra	97	70	37.4	4	5	10	..	38	20.3	0
Baroda City	184	163	46.1	75	4	5	10	133	37.6	4
Barsi	41	27	34.4	8	3	..	1	20	25.5	5
Belgaum	75	45	31.1	7	1	4	1	26	18.0	3
Bhūsawal	43	41	49.2	6	1	2	1	15	18.0	4
Bijapur	57	28	25.7	2	1	1	..	8	7.3	4
Bombay	1,764	1,019	30.0	40	20	160	†	772	22.8	†
Broach	74	54	37.7	19	8	9	..	58	40.9	28
Dharwar	54	43	41.5	1	1	2	..	18	17.4	4
Dhulia	65	41	33.0	14	1	1	..	20	16.1	2
Gadag Betgeri	65	37	29.6	5	..	1	..	20	16.0	5
Godhra	48	74	80.6	12	..	1	1	20	21.8	7
Hubli	106	69	34.0	6	..	8	1	29	14.3	3
Jalgaon	61	25	21.5	5	..	1	..	14	12.0	1
Kalyan	36	8	11.7	2	6	8.8	..
Kolhapur	112	88	40.7	6	4	9	..	37	17.1	12
Kurle	46	23	24.7	4	2	1	..	16	17.9	6
Malegaon	40	48	61.8	9	1	10	..	21	24.8	3
Nadlad	56	98	53.4	39	2	2	..	49	45.1	15
Nasik	58	65	58.3	5	..	7	..	44	39.5	18
Navsari City	45	32	27.3	6	10	11.7	1
Pandharpur	37	53	75.4	5	5	4	..	19	27.0	10
Parle Andheri	56	30	18.6	1	1	6	5.6	1
Patan City	42	38	46.9	9	9	1	1	23	34.5	15
Poona	307	186	31.5	23	9	40	..	161	27.3	65
Satara	40	31	40.9	1	1	9	11.8	3
Sholapur	260	139	29.2	11	9	42	1	119	23.8	42
Surat	232	167	37.5	23	5	19	..	108	24.2	27
TOTAL	5,035	2,481	35.9	2	704	121	402	19	2,441	25.2	577
Bengal, West													
<i>Return not received.</i>													
United Provinces													
Agra	250	385	57.2	1	6	19	57	2	171	25.4	47
Allahabad	318	165	27.0	1	8	40	3	98	16.0	30
Amroha	65	69	52.2	7	4	5	..	28	22.4	11
Bahraich	46	27	30.5	4	2	..	1	11	12.4	3
Balrampur	49	22	23.3	4	..	1	..	9	10.0	2
Banaras	302	328	56.5	115	22	11	5	268	46.1	69
Bareilly	231	140	31.5	27	8	29	..	84	18.9	14
Budaun	58	47	42.6	13	2	5	2	31	27.8	8
Dehra Dun	102	64	32.6	7	..	2	..	21	10.7	5
Etawah †
Faizabad-Ajodhya	58	30	26.9	1	..	4	..	16	14.4	5
Farrukhabad-Fatehgarh	62	64	53.7	4	12	10	4	..	46	38.6	17
Ferozabad	54	32	30.8	3	10	2	24	23.1	8
Ghazipur	35	28	41.6	6	..	1	..	15	22.3	7
Gorakhpur	108	82	39.5	8	11	5	1	39	18.8	5
Hapur	46	45	50.9	11	9	..	1	22	24.9	5
Hardwar-Unon	70	50	37.1	12	2	3	..	24	17.8	4
Hathras	56	90	83.6	2	28	15	6	1	66	61.3	29
Jaunpur	51	38	33.6	13	..	3	..	28	28.7	3
Jhansi	89	94	54.9	1	26	3	50	29.2	14
Kanpur	650	551	44.1	157	44	47	11	434	34.7	140
Khurja	41	40	50.7	1	2	4	1	17	21.6	7
Koll-Aligarh	140	78	29.0	1	17	4	4	1	39	14.5	12
Lucknow	477	308	33.6	31	2	24	2	112	12.2	37
Mathura	99	134	70.4	29	7	10	1	61	32.0	18
Meerut	158	123	40.5	17	5	16	..	50	16.5	16
Mirzapur-Vindhyachal	80	91	59.2	27	5	6	..	53	34.5	17
Moradabad	183	160	45.5	18	17	11	..	95	27.0	32
Muzaffarnagar	64	40	32.5	7	3	1	..	17	13.8	3
Pilibhit	52	52	52.0	4	9	5	3	1	34	34.0	5
Saharanpur	166	139	43.5	53	6	2	..	92	28.8	31
Sambhal	62	57	47.8	11	17	8	2	43	26.1	25
Shahjahanpur	130	100	40.0	5	29	5	4	..	52	20.8	8
Sitapur	27	34	47.8	1	2	1	1	..	12	16.9	7
TOTAL	4,489	3,702	42.9	23	718	240	317	35	2,162	25.0	644

Explanation of symbols used :—B.—Birth; B.R.—Birth rate; C—Cholera; S—Smallpox; P—Plague; F—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; D.R.—Death rate; M.D.—Maternal Deaths; I.D.—Infant Deaths (included in total deaths).

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000, in the Provinces of India and some of the Indian States for the week ending the 10th September 1949.—*contd.*

Town	Mid.-1949 Popn.-Est. (000)	B.	B.R.*	Deaths from:—											D.R.*	I.D.
				C.	S.	P.	F.	DD.	R.D.	M.D.	Total					
A.—INDIA— <i>contd.</i>																
Punjab, East																
Ambala†																
Amritsar	495	235	24.8	28	19	67	4	269	28.3	68			
Batala	54	39	27.8	11	1	1	..	15	14.5	4			
Bhiwani	51	67	69.0	9	1	1	..	16	16.5	..			
Fazilka	36	30	42.9	1	..	1	..	5	7.2	1			
Ferozepore	47	34	60.1	3	2	..	10	11.1	5			
Hissar	31	23	38.1	5	1	1	..	10	16.6	..			
Hoshiarpur	43	29	35.5	7	8	9.8	4			
Jullundur	142	105	38.7	18	..	1	..	25	9.2	5			
Karnal	46	22	24.7	6	..	4	..	14	15.7	7			
Ludhiana †																
Moga	36	30	43.1	6	6	8.6	2			
Panipat	42	53	65.9	8	1	1	..	15	18.7	7			
Rewari †																
Rohtak	59	43	38.1	5	1	2	..	11	9.7	1			
TOTAL	1,082	730	35.2	104	27	81	4	404	19.5	102			
Bihar																
Return not received.																
Central Provinces																
Akola	75	78	54.1	10	4	..	1	35	24.3	4			
Amraoti	75	80	55.8	12	6	7	1	55	38.3	15			
Bilaspur	42	34	41.6	2	3	1	..	23	34.2	10			
Burhanpur	62	58	48.4	10	1	2	..	21	17.5	..			
Chanda	42	35	43.3	7	2	4	1	33	40.8	10			
Damoh†																
Ellichpur	24	52	79.8	3	2	15	23.0	5			
Hingnaghat	33	33	52.7	4	..	4	..	16	25.5	1			
Jubbulpore	170	97	29.6	18	7	3	..	43	14.7	9			
Khandwa	42	28	34.9	11	1	4	..	26	32.4	..			
Nagpur †																
Nagpur Civil Station†																
Raipur	79	25	16.7	8	1	12	7.9	..			
Saugor†																
Wardha	36	55	80.2	2	3	4.4	..			
Yeotmal	31	36	60.0	2	1	2	..	17	28.3	3			
TOTAL	721	611	44.1	89	28	27	3	309	22.3	57			
Orissa																
Return not received																
AjmerMerwara																
Ajmer	170	105	32.0	14	12	4	2	46	14.0	16			
Beawar	44	20	23.8	11	8	5	..	33	39.3	11			
TOTAL	214	125	30.4	25	20	9	2	79	19.2	27			
Rhopal																
Return not received																
Delhi																
Delhi City	667	655	51.1	..	1	..	83	30	26	..	194	15.1	72			
New Delhi	118	245	108.2	3	58	25.6	16			
TOTAL	785	900	59.6	..	1	..	83	33	26	..	252	16.7	88			

Explanation of symbols used :—B.=Births; B. R.=Birth rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery & Diarrhoea; R. D.=Respiratory diseases; M.D.=Maternal death; D. R.=Death rate; I.D.=Infant Deaths included in total deaths.

† Figures not available.

352

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 10th September 1949.—*contd.*

Deaths from :—

Town	Mid-1949 Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D. D.	R. D.	M.D.	Total	D.R.*	I.D.
B.—UNIONS AND STATES													
Patiala and East Punjab States													
Patiala	82	75	47.5	..	1	..	29	5	1	†	49	31.0	†
Rajasthan Union													
Alwar†													
Bikaner†													
Jaipur	198	62	16.2	34	6	8	..	93	24.4	31
Jodhpur	154	38	12.8	5	1	8	..	24	8.1	..
Udaipur†													
TOTAL	352	100	14.8	39	7	16	..	117	17.3	31
Saurashtra Union													
Jamnagar	55	47	28.8	27	5	4	†	51	31.2	†
Junagadh	73	39	27.8	31	4	2	†	42	29.9	†
Porbandar	61	21	17.9	..	1	..	17	1	30	25.6	21
TOTAL	229	107	24.3	..	1	..	75	10	6	..	123	27.9	21
Cochin State													
Ezraikulam	55	17	16.0	2	..	1	..	12	11.3	2
Mattancheri	65	40	32.2	3	13	10.5	1
Trichur	67	31	24.0	1	..	3	..	15	11.6	1
TOTAL	187	38	24.5	6	..	4	..	40	11.1	4
Mysore State													
Bangalore City	312	294	49.1	..	1	..	8	40	20	1	176	29.4	44
Kolar Gold Fields	174	101	30.1	2	3	4	..	31	9.2	..
Mysore City	187	122	47.7	2	53	20.7	..
TOTAL	673	517	39.0	..	1	..	10	45	24	1	260	20.1	44
Travancore State													
Alleppey	67	20	15.6	1	2	..	11	8.6	1
Kottayam	40	17	22.0	1	9	11.7	..
Nagercoil	59	34	30.0	5	1	1	1	12	10.6	..
Quilon	63	55	45.7	2	2	3	1	15	12.5	..
Trivandrum	155	77	25.8	8	5	7	..	60	20.1	3
TOTAL	384	203	27.5	16	9	13	2	107	14.5	4
ARREAR RETURNS													
Punjab, East													
For w/e 20-8-49													
Jullunder	142	89	32.8	22	1	3	..	32	11.8	11
Ludhiana	148	87	30.8	10	5	3	..	33	11.7	10
Batala	54	26	25.2	3	18	3	3	..	32	31.0	10
Rewari	34	23	34.9	2	2	8	12.1	4
For w/e 3-9-49													
Rewari	34	20	30.3	4	2	10	15.2	1
Jullunder	142	92	33.9	38	1	2	..	47	17.3	17
Ludhiana	148	138	48.8	12	5	30	10.6	10
O.P.													
For w/e 2-7-49													
Saugor	61	39	33.3	20	20	17.1	..

Explanation of symbols used :— B=Births ; B.R.=Birth rate ; C=Cholera ; S=Smallpox ; P=Plague ; F=Fever ; D. D.=Dysentery and diarrhoea ; R. D.=Respiratory Diseases ; D.R.=Death rates ; M.D.=Maternal Death ; I.D.=Infant deaths included in total deaths.

† Figures not available.

REMARKS

The figures of births and deaths shown in this statement for the week ending the 10th September 1949, relate to 143 towns with an estimated population of 17,889 thousands. The total number of towns is 213 and their population is 35,943 thousands. Thus 69% of the total number of towns representing 70% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 14,018 and 8,275 representing birth and death rates of 40.8 and 24.1 per thousand of population respectively.

(A) Provinces.—The data here relate to 131 towns with an estimated population of 15,982 thousands. Information for Bihar, West Bengal, Orissa, Bhopal and Assam could not be included. The total number of towns is 189 and their population is 23,320 thousands. Thus 69% of the total number of towns representing 69% of the total population is covered. The numbers of births and deaths recorded in these towns were 12,928 and 75,79 representing birth and death rates of 42.1 and 24.7 per thousand of population respectively.

The table at the end gives the position by provinces. The towns of Guddiyattam and Nellore in Madras and Hathras in U.P. recorded high death rates of 62.2, 53.4 & 61.3 per thousand of population respectively. In Guddiyattam, a considerable proportion of the deaths was due to Cholera. In Nellore none of the Specified causes seemed to have been responsible for the high death rate. In Hathras, a considerable proportion of the deaths was due to fevers and dysentery & diarrhoea.

(B) Unions and States.—The data here relate to 17 towns with an estimated population of 1,907 thousands. The total number of towns is 24 and their population is 2,623 thousands. Thus 71% of the total number of towns representing 73% of the total population is covered. The numbers of births and deaths were 1,090 and 696 representing birth and death rates of 29.7 and 19.0 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of the population.

Provinces	Current w/s		Corresponding w/s last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Madras	45.1	27.5	51.2	24.6	44.1	29.0
Punjab	45.9	25.2	36.9	25.1	34.7	24.7
P. P.	42.9	25.0	48.7	26.0	46.7	31.1
Punjab, East	35.2	19.5	20.5	13.3	29.1	22.5
C. P.	44.1	22.3	55.6	30.0	45.2	30.4
Assam & Mizoram	30.4	18.2	29.6	28.8	42.8	22.6
Delhi	39.6	16.7	53.8	17.1	43.0	22.5
India Provinces	42.1	24.7	43.8	24.0	35.9	24.2

NEW DELHI 3 (INDIA):

10th October 1949

K. Mitra,

for Registrar General, India.

